

Material Safety Data Sheet

MSDS ID: XT-100

***** Section 1 - Chemical Product and Company Identification *****

Product Name: WORK HORSE

Manufacturer Information

Atlantic-Pacific Trading Corp. LLC	Emergency & Technical Information: 336-578-1019
625 Plumas Street	Plant Phone Number: 870-829-1202
Reno, Nevada 89509	

General Comments

Emergency telephone numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving the product.

***** Section 2 - Hazards Identification *****

Emergency Overview

Exposure to fine spray & mist may cause minor irritation to eyes, nose and throat.

Potential Health Effects: Eyes

Contact with eyes may cause slight irritation.

Potential Health Effects: Skin

Mild irritation may occur with prolonged contact with the product.

Potential Health Effects: Ingestion

Ingestion of the product may irritate the throat and esophagus.

Potential Health Effects: Inhalation

Vapors and mists from the product may cause reversible respiratory irritation.

HMIS Ratings: Health: 1 Fire: 1 Reactivity: 0 Pers. Prot.: B

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

***** Section 3 - Composition / Information on Ingredients *****

CAS #	Component
Mixture, confidential	Confidential

Component Information/Information on Non-Hazardous Components

All components are listed on TSCA 40 CFR 700. Not an OSHA hazardous substance as defined in 29 CFR 1910.1200.

***** Section 4 - First Aid Measures *****

First Aid: Eyes

In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention.

Material Safety Data Sheet

Work Horse

MSDS ID: XT-100

First Aid: Skin

Exposed skin should be thoroughly rinsed with fresh water. Seek medical attention if irritation persists.

First Aid: Ingestion

DO NOT INDUCE VOMITING. Drink promptly a large quantity of milk, egg whites, gelatin solutions or water. Seek medical attention immediately.

First Aid: Inhalation

Move patient to fresh air. If discomfort persists, seek medical attention.

*** Section 5 - Fire Fighting Measures ***

Flash Point: >212°F	Method Used: Not Applicable
Upper Flammable Limit (UFL): Not determined	Lower Flammable Limit (LFL): Not determined
Auto Ignition: Not determined	

General Fire Hazards

No unusual fire or explosion hazards.

Hazardous Combustion Products

Carbon monoxide, carbon dioxide

Extinguishing Media

Dry chemical, foam, carbon dioxide, water and fog.

Fire Fighting Equipment/Instructions

Firefighters should wear self-contained air supplied breathing apparatus in enclosed areas or in areas of heavy smoke or fumes.

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

*** Section 6 - Accidental Release Measures ***

Containment Procedures

Contain spill. Do not allow material to run into sewers and drains.

Clean-Up Procedures

Absorb spill with inert material. Shovel material into appropriate labeled, container for disposal. Flush small residuals to the drain for normal biological wastewater treatment.

Evacuation Procedures

None required.

Special Procedures

No special precautions beyond routine prudent safe handling of chemical substances are necessary. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.

*** Section 7 - Handling and Storage ***

Handling Procedures

Handle as a corrosive material.

Storage Procedures

Keep containers closed. Store in a cool, dry place. Do not freeze.

